



ALVOLTA USB C+C DUAL SURFACE MOUNT SOCKET

ALV-USBCSS

Key Features:



QuickCharge Fast
Charging



Suits 12-24V Systems



Compatible with
Standard Smart Phones



Pre-Wired for
Installation



Multiple Charging Ports

Suitable for:



3 YEAR
WARRANTY


ALVOLTA USB C+C DUAL SURFACE MOUNT SOCKET

ALV-USBCCSS

Specifications:

Input Voltage	12 / 24V
Maximum Output Power	120W
USB-C 1 Output	5V / 3A, 9V / 3A, 12V / 3A, 15V / 3A, 20V / 5A
USB-C 2 Output	5V / 3A, 9V / 2.22A, 12V / 1.67A
Included Cable	UL 1015 cable, 4mm ² diameter, 100mm length
USB Impedance	< 100mΩ
Mounting Type	Surface Mount
Mounting Hole Size	4mm
Ingress Protection	IP65
Salt Spray Test	8 hr min, NaCl 5%
Operating Temperature Range	-25°C - +85°C
Housing Material	PA6 (Polyamide/Nylon 6)
Colour	Black
Dimensions (w x h x d)	55 x 49.5 x 81mm
Warranty	3 Years

Model Dimensions:



*All data and specifications provided in this datasheet are tested under standard test conditions, and may deviate marginally from actual values. Alvolta and its associates reserve the right to make modifications to the provided information without notice. Alvolta maintains the goal to supply customers with the most recent information regarding its products.

ALVOLTA USB C+C DUAL SURFACE MOUNT SOCKET

ALV-USBCCSS

Model Dimensions:

USB Module

